

| BRITISH ISLES | |
|---------------|---|
| 4/23 | Pickup at hotel, transfer to the Bell Hotel in Saxmundham. |
| 4/24 | Minsmere RSPB all day. |
| 4/25 | Wesleton Heath and transfer to the Wensum Lodge in Fakenham. |
| 4/26 | Lackford Lakes, Cavenhan Heath, Lakenheath. |
| 4/27 | Cley Marshes, Burnha Overy, Titchwell RSPB. |
| 4/28 | AM: Sandringham Estate. PM: Snetisham and transfer to the Old Pheasant Hotel in Uppingham. |
| 4/29 | Rutland Water and transfer to the Grange Hotel in Newark-on-Trent. |
| 4/30 | Potteric Carr Reserve (Yorkshire Wildlife Trust), Blacktoft Sands RSPB and transfer to the Parsonage Country House near York. |
| 5/1 | Bempton Cliffs RSPB, York after lunch. |
| 5/2 | Forest of Bowland for Ringed Ouzel, Village of Barley, river walk for Dipper and transfer to the Mill at Conder Green near Lancashire. |
| 5/3 | Warton Crag (Peregrine & Raven), Morecamb Bay RSPB, Leighton Moss RSPB and transfer to the High Force Hotel near Middleton-in-Teasdale. |
| 5/4 | Full day travel to Isle of Mull and check-in at the Isle of Mull Hotel. |
| 5/5 | Isle of Mull, cruise to Treshnish Isles with Staffa and Lunga landings. |
| 5/6 | Iona Island, Isle of Mull - Glen More and Loch Spelvie. |
| 5/7 | Mull to Oban on ferry, drive to Grantown-on-Spey with birding in Glen Roy Valley and check-in at the Grant Arms Hotel in Grantown-on-Spey. |
| 5/8 | Anagach Woods (behind hotel), Loch Indorb, Carrbridge for lunch, Chamnory Point (in the Miray Firth). Evening outing to Badger and Marten hide near Loch An Eilean. |
| 5/9 | Avielochan (Grebe spot), Loch Garten (Abernathy Forest), Lunch in Nethy Bridge. |
| 5/10 | Travel day - depart Inverness |

| SPAIN | |
|-------|--|
| 5/15 | Pickup at hotel - transfer to Delta de Ebro, checkin at the Delfebre Hotel |
| 5/16 | All day birding in the Delta de Ebro |
| 5/17 | AM: Hotel grounds for owl and bittern. Birtded sod farms for pratincoles and white-winged terns. Drove to Licera via TV2105 birding en route including El Planeron. Checked in to the Hotel Rincon del Cierzo. |
| 5/18 | 5:30AM: El Planeron to try for Du Pont's lark. After breakfast, drove to Castillo de Loarne, then Riglos Cliffs, then Arres. Check-in to the Hotel Montana Uson in the Hecho Valley. |
| 5/19 | Hecho Valley: birded all day from the car, rain all day. AM - road to Gabardito, PM - to the end of the valley |
| 5/20 | Hecho Valley: Gabardito for the Wallcreeper, San Juan de la Pena Monastery after lunch, and transfer to the Hotel Palazzo near Huesca (Nerin village). |
| 5/21 | Ordesa National Park. |
| 5/22 | AM: Walk near the hotel and village. Drive to Loporzano with stops en route via A2205 with last stop at the Monte Aragon ruins. Check in at the Boletas Birdwatching Center. |
| 5/23 | Loporzano Cemetary for raptors. San Julian de Banzo. |
| 5/24 | Transfer to Barcelona for international flights on the 24th or hotel checkin for flights on the 25th. |

Cheepers!

Birding on a Budget

BRITISH ISLES

April 23 - May 10, 2019

SPAIN

May 15 - May 24, 2019

| Row | Family / Species | BRITISH ISLES | | | | | | | | | | | | | | | | | SPAIN | | | | | | |
|-----|--|---------------|----|----|----|----|----|---|---|---|---|---|---|---|---|---|----|----|-------|----|----|----|----|----|----|
| | | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 1 | Ducks, Geese, Swans - ANSERIFORMES: Anatidae | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Bar-headed Goose - Anser indicus | S | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | Graylag Goose - Anser anser | S | S | S | S | S | S | | S | S | S | S | S | S | S | S | | | | | | | | | |
| 11 | Pink-footed Goose - Anser brachyrhynchus | | | S | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|----|----|----|----|----|----|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|
| 122 | Cuckoos - CUCULIFORMES: Cuculidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 126 | Common Cuckoo - <i>Cuculus canorus</i> | | | | | | | | H | | | | S | H | | | | | G | H | | S | H | H | |
| 133 | Swifts - CAPRIMULGIFORMES: Apodidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 136 | Alpine Swift - <i>Apus melba</i> | | | | | | | | | | | | | | | | | | | | | | | S | |
| 137 | Common Swift - <i>Apus apus</i> | S | | | | | | | | S | | | | | | | | S | S | S | | S | S | S | S |
| 143 | Rails, Crakes, Coots - GRUIFORMES: Rallidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 144 | Water Rail - <i>Rallus aquaticus</i> | | | | | | | | | S | | | | | | | | | | | | | | | |
| 145 | Corn Crane - <i>Crex crex</i> | | | | | | | | | | | | S | | | | | | | | | | | | |
| 149 | EURASIAN (Common) Moorhen - <i>Gallinula chloropus</i> | S | S | S | S | S | S | | | S | | | | | | | | S | S | | | | | | |
| 151 | Eurasian Coot - <i>Fulica atra</i> | S | S | S | S | S | S | | | S | | | | | | | | S | S | | | | | | |
| 156 | Western (aka Purple) Swamphen - <i>Porphyrio porphyrio</i> | | | | | | | | | | | | | | | | | S | | | | | | | |
| 166 | Stone-curlews, Thick-knees - CHARADRIIFORMES: Burhinidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 167 | Eurasian Thick-knee (Stone Curlew) - <i>Burhinus oedicnemus</i> | | | | | | | | | | | | | | | | | | S | H | | | | | |
| 168 | Stilts, Avocets - CHARADRIIFORMES: Recurvirostridae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 169 | Black-winged Stilt - <i>Himantopus himantopus</i> | | | | | | | | | | | | | | | | | S | S | | | | | | |
| 170 | Pied Avocet - <i>Recurvirostra avosetta</i> | S | | S | S | S | S | | | S | | | | | | | | S | | | | | | | |
| 172 | Oystercatchers - CHARADRIIFORMES: Haematopodidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 173 | Eurasian Oystercatcher - <i>Haematopus ostralegus</i> | S | | S | S | S | S | | S | S | S | S | S | S | S | S | | | | | | | | | |
| 174 | Plovers - CHARADRIIFORMES: Charadriidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 175 | Black-bellied (aka Gray) Plover - <i>Pluvialis squatarola</i> | | | | S | | | | | | | | | | | | | S | | | | | | | |
| 176 | European Golden-Plover - <i>Pluvialis apricaria</i> | | | | | | | | | | | | S | | | | | | | | | | | | |
| 179 | Northern Lapwing - <i>Vanellus vanellus</i> | S | S | S | S | S | S | | S | S | S | | S | S | S | S | | | | | | | | | |
| 187 | Kentish Plover - <i>Charadrius alexandrinus</i> | | | | | | | | | | | | | | | | | S | | | | | | | |
| 188 | Common Ringed Plover - <i>Charadrius hiaticula</i> | | | S | S | | | | | | | | | | S | | | S | S | | | | | | |
| 190 | Little Ringed Plover - <i>Charadrius dubius</i> | | | | S | S | | | | | | | | | | | | | | | | | | | |
| 194 | Sandpipers, Snipes - CHARADRIIFORMES: Scolopacidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 196 | Whimbrel - <i>Numenius phaeopus</i> | | | | | | | | | | | S | | | | | | | | | | | | | |
| 200 | Eurasian Curlew - <i>Numenius arquata</i> | | S | | | | | | S | S | S | | S | S | S | S | | | | | | | | | |
| 201 | Bar-tailed Godwit - <i>Limosa lapponica</i> | S | | S | | | | | | | | | | | | | | | | | | | | | |
| 202 | Black-tailed Godwit - <i>Limosa limosa</i> | S | | S | S | | S | | | S | | | | | | | | S | | | | | | | |
| 204 | Ruddy Turnstone - <i>Arenaria interpres</i> | S | | S | S | | | | | | | | | | | | | | | | | | | | |
| 207 | Ruff - <i>Calidris pugnax</i> | | | S | | S | | | | | | | | | | | | | | | | | | | |
| 211 | Curlew Sandpiper - <i>Calidris ferruginea</i> | | | | | | | | | | | | | | | | | S | | | | | | | |
| 216 | Dunlin - <i>Calidris alpina</i> | | | S | S | | | | | | | | | | S | | | S | | | | | | | |
| 219 | Little Stint - <i>Calidris minuta</i> | | | | | | | | | | | | | | | | | S | | | | | | | |
| 232 | Common Snipe - <i>Gallinago gallinago</i> | | | | | | | | S | | | | S | | | | | | | | | | | | |
| 240 | Common Sandpiper - <i>Actitis hypoleucos</i> | | | | | | | | S | | | S | S | S | S | S | | | | | | | | | |
| 245 | Spotted Redshank - <i>Tringa erythropus</i> | | | | | S | | | | | | | | | | | | | | | | | | | |
| 247 | Common Greenshank - <i>Tringa nebularia</i> | S | | | | S | | | | | | | | | | | | | H | | | | | | |
| 251 | Wood Sandpiper - <i>Tringa glareola</i> | | | | | | | | | | | | | | | | | S | | | | | | | |
| 252 | Common Redshank - <i>Tringa totanus</i> | S | | S | S | S | S | | S | S | | | | | | | | S | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|--|----|----|----|----|----|----|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|
| 255 | Courasers, Pratincoles - CHARADRIIFORMES: Glareolidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 257 | Collared Pratincole - Glareola pratincola | | | | | | | | | | | | | | | | | | S | | | | | | |
| 260 | Skuas - CHARADRIIFORMES: Stercorariidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 261 | Great Skua - Stercorarius skua | | | | | | | | | | | S | | | | | | | | | | | | | |
| 266 | Auks - CHARADRIIFORMES: Alcidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 268 | Common MURRE (Guillemot) - Uria aalge | | | | | | | S | | | | S | | | | | | | | | | | | | |
| 270 | Razorbill - Alca torda | | | | | | | S | | | | S | | | | | | | | | | | | | |
| 271 | Black Guillemot - Cepphus grylle | | | | | | | | | | | S | | | | | | | | | | | | | |
| 276 | Atlantic Puffin - Fratercula arctica | | | | | | | S | | | | S | | | | | | | | | | | | | |
| 278 | Gulls, Terns, Skimmers - CHARADRIIFORMES: Laridae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 279 | Black-legged Kittiwake - Rissa tridactyla | S | | | | | | S | | | | S | | | | | | | | | | | | | |
| 282 | Slender-billed Gull - Chroicocephalus genei | | | | | | | | | | | | | | | | | | S | | | | | | |
| 285 | Black-headed Gull - Chroicocephalus ridibundus | S | S | S | S | S | S | S | | S | S | S | S | S | S | S | S | S | S | S | | | | | |
| 290 | Mediterranean Gull - ICHTHYAETUS (Larus) melanocephalus | S | | | | | | | | | | | | | | | | | | | | | | | |
| 294 | Audouin's Gull - ICHTHYAETUS (Larus) audouinii | | | | | | | | | | | | | | | | S | S | S | | | | | | |
| 295 | Common (aka Mew) Gull - Larus canus | S | | | | S | | | | | | S | S | S | S | S | | | | | | | | | |
| 297 | Herring Gull - Larus argentatus | S | | S | S | S | S | S | | | S | S | S | | S | | | | | | | | | | |
| 298 | Yellow-legged Gull - Larus michahellis | | | | | | | | | | | | | | | | S | S | S | | | | | | |
| 302 | Lesser Black-backed Gull - Larus fuscus | S | | S | | | S | | S | S | | | | | | | | | | | | | | | |
| 305 | Great Black-backed Gull - Larus marinus | S | | S | S | | | | | S | | S | | S | | | | | | | | | | | |
| 311 | Little Tern - Sternula albifrons | | | | | | | | | | | | | | | | | | S | | | | | | |
| 313 | Gull-billed Tern - Gelocheidon nilotica | | | | | | | | | | | | | | | | S | S | S | | | | | | |
| 316 | White-winged Tern - Chlidonias leucopterus | | | | | | | | | | | | | | | | | | S | | | | | | |
| 317 | Whiskered Tern - Chlidonias hybrida | | | | | | | | | | | | | | | | S | S | S | | | | | | |
| 319 | Common Tern - Sterna hirundo | S | | | S | S | | | | | | | | | S | | | | S | | | | | | |
| 324 | Sandwich Tern - Thalasseus sandvicensis | S | | S | | S | | | | | | | | | | | | | S | | | | | | |
| 330 | Loons - GAVIIFORMES: Gaviidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 331 | Red-throated Loon - Gavia stellata | | | | | | | | | | | S | | | S | S | | | | | | | | | |
| 332 | ARCTIC (Black-throated) Loon - Gavia arctica | | | | | | | | | | | | | | S | | | | | | | | | | |
| 334 | Common (Great Northern) Loon - Gavia immer | | | | | | | | | | | S | S | S | | | | | | | | | | | |
| 350 | Petrels, Shearwaters, Diving Petrels - PROCELLARIIFORMES: Procellariidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 352 | Northern Fulmar - Fulmarus glacialis | | | | | | | S | | | | S | | | | | | | | | | | | | |
| 370 | Storks - CICONIIFORMES: Ciconiidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 372 | White Stork - Ciconia ciconia | | | | | | | | | | | | | | | | | | S | S | | | | | |
| 378 | Gannets, Boobies - SULIFORMES: Sulidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 382 | Northern Gannet - Morus bassanus | | | | | | | S | | | | | | | | | | | | | | | | | |
| 385 | Cormorants, Shags - SULIFORMES: Phalacrocoracidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 387 | Great Cormorant - Phalacrocorax carbo | S | S | S | S | S | S | | | S | | S | S | S | S | | | | | | | | | | |
| 388 | European Shag - Phalacrocorax aristotelis | | | | | | | | | | | S | | | | | | | | | | | | | |
| 393 | Hérons, Bitterns - PELECANIFORMES: Ardeidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 396 | Little Bittern - Ixobrychus minutus | | | | | | | | | | | | | | | | | | S | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|----|----|----|----|----|----|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|
| 505 | Eurasian (aka European) Green Woodpecker - <i>Picus viridis</i> | | | H | | | H | | | | | | | | | | | | H | | | F | | | |
| 508 | Caracaras, Falcons - FALCONIFORMES: Falconidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 510 | Eurasian Kestrel - <i>Falco tinnunculus</i> | S | S | | | | | | | S | | | | | | | S | S | S | | | | | S | |
| 521 | Peregrine Falcon - <i>Falco peregrinus</i> | | | | | | | | | S | | | | | | | | | | | | | | | |
| 537 | Shrikes - PASSERIFORMES: Laniidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 538 | Red-backed Shrike - <i>Lanius collurio</i> | | | | | | | | | | | | | | | | | | | S | | S | | | |
| 548 | Woodchat Shrike - <i>Lanius senator</i> | | | | | | | | | | | | | | | | | | S | S | | | S | S | |
| 555 | Figbirds, Orioles & Turnagra - PASSERIFORMES: Oriolidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 556 | Eurasian Golden Oriole - <i>Oriolus oriolus</i> | | | | | | | | | | | | | | | | | | G | | | | F | S | |
| 557 | Crows, Jays - PASSERIFORMES: Corvidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 559 | Eurasian Jay - <i>Garrulus glandarius</i> | | | | | | | | S | | | | | | | | | | | S | S | | | | |
| 560 | Eurasian (aka Common) Magpie - <i>Pica pica</i> | S | S | S | S | S | S | S | S | S | S | | | | | | S | S | S | S | | S | | S | S |
| 562 | Red-billed Chough - <i>Pyrrhocorax pyrrhocorax</i> | | | | | | | | | | | | | | | | | | S | | S | S | S | | |
| 563 | Yellow-billed (aka Alpine) Chough - <i>Pyrrhocorax graculus</i> | | | | | | | | | | | | | | | | | | | S | | S | | | |
| 564 | Eurasian Jackdaw - <i>Corvus monedula</i> | S | S | S | S | S | S | S | S | S | S | | S | S | S | S | | | S | | | | | | |
| 567 | Rook - <i>Corvus frugilegus</i> | S | S | S | | S | S | S | S | | | | S | | S | S | | | | | | | | | |
| 568 | Carrion Crow - <i>Corvus corone</i> | S | | | | S | S | S | S | S | S | | | | | | | | S | S | S | S | S | | |
| 569 | Hooded Crow - <i>Corvus cornix</i> | | | | | | | | | | | S | S | S | S | | | | | | | | | | |
| 571 | Common Raven - <i>Corvus corax</i> | | | | | | | | S | S | | S | S | | S | | | | S | | S | S | S | S | |
| 572 | Bearded Reedling - PASSERIFORMES: Panuridae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 573 | Bearded Reedling (aka Bearded Tit) - <i>Panurus biarmicus</i> | | | S | | | | | | S | | | | | | | | | | | | | | | |
| 574 | Larks - PASSERIFORMES: Alaudidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 580 | Greater Short-toed Lark - <i>Calandrella brachydactyla</i> | | | | | | | | | | | | | | | | | | S | S | | | | | |
| 582 | Calandra Lark - <i>Melanocorypha calandra</i> | | | | | | | | | | | | | | | | | | S | S | | | | | |
| 584 | Dupont's Lark - <i>Chersophilus duponti</i> | | | | | | | | | | | | | | | | | | | H | | | | | |
| 585 | Lesser Short-toed Lark - ALAUDALA (<i>Calandrella</i>) <i>rufescens</i> | | | | | | | | | | | | | | | | | | | S | | | | | |
| 586 | Wood Lark - <i>Lullula arborea</i> | | S | | | | | | | | | | | | | | | | | S | | | | H | |
| 588 | Eurasian (aka Common) Skylark - <i>Alauda arvensis</i> | | S | S | S | S | S | S | | | | S | S | | | | | | | | | | H | | |
| 590 | Thekla's Lark - <i>Galerida theklae</i> | | | | | | | | | | | | | | | | | | | | | | | S | |
| 591 | Crested Lark - <i>Galerida cristata</i> | | | | | | | | | | | | | | | | | S | S | S | | | | S | S |
| 592 | Swallows, Martins - PASSERIFORMES: Hirundinidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 596 | Bank Swallow (aka Sand Martin) - <i>Riparia riparia</i> | S | | S | | S | | | | S | | S | S | | S | S | | G | | | | | | | |
| 597 | Eurasian Crag-Martin - <i>Ptyonoprogne rupestris</i> | | | | | | | | | | | | | | | | | | | S | | S | S | G | S |
| 599 | Barn Swallow - <i>Hirundo rustica</i> | S | | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | S | S | S | S |
| 600 | Red-rumped Swallow - <i>Cecropis daurica</i> | | | | | | | | | | | | | | | | | | | | | | | S | S |
| 602 | Common House-Martin - <i>Delichon urbicum</i> | | | | | | | | S | S | | S | S | | | | | | S | S | S | S | S | S | S |
| 603 | Tits, Chickadees - PASSERIFORMES: Paridae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 604 | Coal Tit - <i>Pariparus ater</i> | S | | | | | | | S | S | | | | | S | S | | | | | S | S | H | | |
| 605 | Crested Tit - <i>Lophophanes cristatus</i> | | | | | | | | | | | | | | | S | | | | | S | S | H | | |
| 607 | Marsh Tit - <i>Poecile palustris</i> | S | | | | | | | | S | | | | | | | | | | | | | | | |
| 610 | Eurasian (aka European) Blue Tit - <i>Cyanistes caeruleus</i> | S | S | S | S | S | S | S | S | S | S | S | | S | S | S | | | | | | S | | S | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|----|----|----|----|----|----|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|---|
| 613 | Great Tit - <i>Parus major</i> | S | S | S | S | S | S | | S | S | S | | S | | | S | | | | S | S | S | S | S | H | |
| 614 | Penduline Tits - PASSERIFORMES: Remizidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 615 | Eurasian Penduline-Tit - <i>Remiz pendulinus</i> | | | | | | | | | | | | | | | | | S | | | | | | | | |
| 616 | Bushtits - PASSERIFORMES: Aegithalidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 617 | Long-tailed Tit - <i>Aegithalos caudatus</i> | S | | H | | S | S | | S | S | | | | | | | | | | | H | | | | S | |
| 618 | Nuthatches - PASSERIFORMES: Sittidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 619 | Eurasian Nuthatch - <i>Sitta europaea</i> | | | | | | | | | S | S | | | | | | | | | | | S | | | | |
| 624 | Wallcreeper - PASSERIFORMES: Tichodromidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 625 | Wallcreeper - <i>Tichodroma muraria</i> | | | | | | | | | | | | | | | | | | | | | S | | | | |
| 626 | Treecreepers - PASSERIFORMES: Certhiidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 627 | Eurasian Treecreeper - <i>Certhia familiaris</i> | S | | | | | | | | S | | | | | S | S | | | | | | | | | | |
| 628 | Short-toed Treecreeper - <i>Certhia brachydactyla</i> | | | | | | | | | | | | | | | | | | S | | | | | | | |
| 629 | Wrens - PASSERIFORMES: Troglodytidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 630 | Eurasian (aka Winter) Wren - <i>Troglodytes troglodytes</i> | S | H | H | S | S | H | | S | S | S | S | | | | | | | | | | H | | | | |
| 631 | Dippers - PASSERIFORMES: Cinclidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 632 | White-throated Dipper - <i>Cinclus cinclus</i> | | | | | | | | S | | | | | | | | | | | | S | | | | | |
| 636 | Goldcrests, Kinglets - PASSERIFORMES: Regulidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 638 | Goldcrest - <i>Regulus regulus</i> | S | | | S | S | H | H | | | | | | | | H | | | | | | | | | | |
| 640 | COMMON Firecrest - <i>Regulus ignicapilla</i> | | | | S | | | | | | | | | | | | | | | | S | S | | | | |
| 641 | Streaked Scrub Warbler - PASSERIFORMES: Scotocercidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 642 | Cetti's Warbler - <i>Cettia cetti</i> | S | H | H | H | | F | | | S | | | | | | | | H | | | | | | H | S | |
| 643 | Leaf Warblers and Allies - PASSERIFORMES: Phylloscopidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 644 | Wood Warbler - <i>Phylloscopus sibilatrix</i> | | | | | | | | | | | S | | | | | | | | | | | | | | |
| 645 | Western Bonelli's Warbler - <i>Phylloscopus bonelli</i> | | | | | | | | | | | | | | | | | | S | S | S | H | H | H | | |
| 653 | Willow Warbler - <i>Phylloscopus trochilus</i> | | | H | | S | S | | S | S | S | S | S | H | S | H | | | | | | | | | | |
| 655 | Common Chiffchaff - <i>Phylloscopus collybita</i> | S | S | H | S | S | S | | H | S | H | | | | | H | | | | H | | | | | | |
| 663 | Reed Warblers and Allies - PASSERIFORMES: Acrocephalidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 671 | Melodious Warbler - <i>Hippolais polyglotta</i> | | | | | | | | | | | | | | | | | | S | | | | | | S | |
| 675 | Sedge Warbler - <i>Acrocephalus schoenobaenus</i> | F | S | H | S | S | S | | | S | | | | | | | | | | | | | | | | |
| 679 | Eurasian (aka European) Reed Warbler - <i>Acrocephalus scirpaceus</i> | H | | H | | | H | | | S | | | | | | | H | S | | | | | | | | |
| 681 | Great Reed Warbler - <i>Acrocephalus arundinaceus</i> | | | | | | | | | | | | | | | | H | H | | | | | | | | |
| 683 | Grassbirds & Allies - PASSERIFORMES: Locustellidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 688 | Savi's Warbler - <i>Locustella luscinioides</i> | S | | | | | | | | | | | | | | | | | | | | | | | | |
| 689 | Common Grasshopper-Warbler - <i>Locustella naevia</i> | | | | S | | | | | S | | | | | | | | | | | | | | | | |
| 690 | Cisticolas and Allies - PASSERIFORMES: Cisticolidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 692 | Zitting Cisticola - <i>Cisticola juncidis</i> | | | | | | | | | | | | | | | | | S | | | | | | | H | |
| 693 | Typical Warblers - PASSERIFORMES: Sylviidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 694 | Eurasian Blackcap - <i>Sylvia atricapilla</i> | S | S | S | S | S | S | | H | S | H | | | | | | | | | S | S | H | H | | | |
| 695 | Garden Warbler - <i>Sylvia borin</i> | | S | | | S | S | | | | | | | | | | | | | S | S | S | S | | | |
| 699 | Lesser Whitethroat - <i>Sylvia curruca</i> | | | H | S | H | | | | | | | | | | | | | | | | | | | | |
| 700 | Western Orphean Warbler - <i>Sylvia hortensis</i> | | | | | | | | | | | | | | | | | | | | | | | H | S | S |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|----|----|----|----|----|----|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|
| 832 | European Greenfinch - CHLORIS (Carduelis) chloris | S | | S | | S | S | | | | | | | | | | | S | | | | | S | | |
| 833 | Twite - LINARIA (Carduelis) flavirostris | | | | | | | | | | | S | S | | | | | | | | | | | | |
| 834 | Eurasian Linnet - LINARIA (Carduelis) cannabina | S | | S | S | S | | S | | | | S | S | | S | | | S | S | S | S | S | S | S | |
| 835 | Common Redpoll - ACANTHIS (Carduelis) flammea | | | | | | | | H | | | F | | S | | | | | | | | | | | |
| 841 | European Goldfinch - Carduelis carduelis | S | S | S | S | S | S | | | S | S | S | S | S | S | | S | | S | S | | | S | S | |
| 842 | Citrel Finch - CARDUELIS (Serinus) citrinella | | | | | | | | | | | | | | | | | | | S | S | | | | |
| 844 | European Serin - Serinus serinus | | | | | | | | | | | | | | | | | S | S | S | S | H | S | S | |
| 847 | Eurasian Siskin - SPINIS (Carduelis) spinus | | S | | | | | | | | | | | | S | S | | | | | | | | | |
| 851 | Buntings - PASSERIFORMES: Emberizidae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 854 | Corn Bunting - Emberiza calandra | | | | | | | S | | | | | | | | | | S | S | | | | S | S | |
| 856 | Rock Bunting - Emberiza cia | | | | | | | | | | | | | | | | | | | S | | | S | | |
| 857 | Cirl Bunting - Emberiza cirlus | | | | | | | | | | | | | | | | | | S | | | | S | | |
| 858 | Yellowhammer - Emberiza citrinella | | | | | S | S | | | | | | | | | | | | | S | | | | | |
| 862 | Ortolan Bunting - Emberiza hortulana | | | | | | | | | | | | | | | | | | | | | | | S | |
| 867 | Reed Bunting - Emberiza schoeniclus | S | S | S | | S | S | S | S | S | | | | | | | | | | | | | | | |
| 924 | Old World Sparrows, Snowfinches - PASSERIFORMES: Passeridae | 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 925 | House Sparrow - Passer domesticus | | | | | S | S | | S | S | S | S | S | S | S | S | S | S | S | S | | S | | S | S |
| 929 | Eurasian Tree Sparrow - Passer montanus | | | | | | S | S | | | | | | | | | S | S | | | | | | | |
| 930 | Rock Sparrow - Petronia petronia | | | | | | | | | | | | | | | | | | | | | | | S | S |

| BRITISH ISLES | | | | | | | | | | | | | | SPAIN | | | | | | | | | | |
|---------------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| Seen | 70 | 51 | 63 | 55 | 67 | 60 | 32 | 45 | 65 | 31 | 53 | 48 | 32 | 45 | 35 | 21 | 58 | 55 | 47 | 35 | 35 | 31 | 46 | 42 |
| Heard | 1 | 3 | 8 | 1 | 2 | 4 | 1 | 6 | 0 | 3 | 0 | 0 | 2 | 1 | 3 | 2 | 2 | 1 | 6 | 2 | 2 | 8 | 8 | 6 |
| Guide | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 | 0 |
| Fly-by | 1 | 0 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 0 |
| Total | 72 | 54 | 73 | 58 | 71 | 65 | 35 | 51 | 66 | 34 | 54 | 49 | 34 | 47 | 38 | 23 | 61 | 58 | 55 | 37 | 38 | 40 | 56 | 48 |
| 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| Seen | 70 | 85 | 99 | 104 | 111 | 114 | 121 | 132 | 136 | 138 | 151 | 156 | 158 | 159 | 163 | 172 | 190 | 207 | 217 | 224 | 226 | 228 | 236 | 240 |
| Heard | 1 | 2 | 4 | 3 | 2 | 3 | 3 | 5 | 3 | 3 | 3 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 4 | 4 | 5 | 5 | 4 | 4 |
| Guide | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 0 |
| Fly-by | 1 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Total | 72 | 87 | 104 | 108 | 115 | 119 | 126 | 139 | 142 | 144 | 157 | 162 | 163 | 164 | 167 | 177 | 194 | 213 | 225 | 232 | 235 | 237 | 244 | 247 |
| 25 | 26 | 27 | 28 | 29 | 30 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| Seen | | | | | | | | | | | | | | | | 15 | 60 | 87 | 106 | 128 | 133 | 138 | 148 | 154 |
| Heard | | | | | | | | | | | | | | | | 2 | 2 | 3 | 8 | 9 | 10 | 12 | 10 | 8 |
| Guide | | | | | | | | | | | | | | | | 0 | 1 | 2 | 3 | 3 | 3 | 2 | 2 | 1 |
| Fly-by | | | | | | | | | | | | | | | | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| Total | | | | | | | | | | | | | | | | 23 | 63 | 93 | 118 | 141 | 148 | 154 | 162 | 165 |

DAILY TOTALS

ACCUMULATED TOTALS
 See the 9 column for British Isles only totals
 See the 23 column for combined British Isles and Spain totals

ACCUMULATED TOTALS
 See the 23 column for the Spain only totals