

THAILAND

Cheepers! Birding on a Budget March 22 - April 5, 2013

| |
|---|
| Tune Hotel, Wat Chonglom (temple), Tajeem River, Mangrove, Ponds/Rice Fields |
| Pakhale (Estuary) - Spoonbill Sandpiper, Royal King Project Station (Mangrove), (Lame Pak Bia), Lunch, Rice Fields to Wat Maha That Temple, to Kaeng Kracham National Park |
| Kaeng Krachan National Park, Baan Krang campground, Paeon Tung (top of mountain) |
| Borlung Sin (water feature), local roads, Dan Ngo (town - Ashy Woodswallow), |
| 5-hour drive from Kaeng Krachan NP to vicinity Khao Yai NP, Baan Khao Takroa (weavers), Baan Moo See Admin Office (parakeets), village road |
| Khao Keaw road inside Khao Yai National Park, Pa Daew Dai Trail, Air Force Station, Conference Camp (Bee-eater), KM 37 (Hornbill Nest) |
| Khao Yai National Park |
| Balois Hotel grounds and environs |
| Fight to Chaing Mai, Chiang Mai University grounds, Wat Doi Suthep Temple, drive to Doi Inthanon National Park |
| Doi Inthanon National Park - Entrance, boardwalk near Visitor's Center, Waterfall, Campground (Royal Garden) |
| Doi Inthanon National Park - Huy Sailing Waterfall, Mac Aoum (dirt road) to watershed unit, Summit, and boardwalk |
| Doi Inthanon National Park, Royal Project Lodge grounds, Wachiratam Waterfall, drive to Chaing Dao, Baan Mae Ma rice fields |
| Chiang Dao NP - entrance road, Hot Springs area (Wildlife Sanctuary Office area), Wat Tum Pa Plong (temple), drive to Doi Ang Khang, Ban Luang Resort, campground to military |
| Doi Ang Khang, Rhododendron Trail (Silver-eared Mesite), Mae Puh watershed (raptor debate), Royal Project Gardens, Norlae (military base at border) |
| Doi Ang Khang, drive to Chaing Mai, flight to Bangkok |

| | | Central Thailand | | | | | | | | | | Northern Thailand | | | | | | |
|--|--------|------------------|----|----|----|----|----|----|----|----|----|-------------------|---|---|---|---|---|------|
| | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| Ducks, Geese and Waterfowl - Anatidae | | | | | | | | | | | | | | | | | | |
| Lesser Whistling-Duck - <i>Dendrocygna javanica</i> | | 4 | S | S | | | | | | | S | | | S | | | | S |
| Cotton Pygmy-Goose - <i>Nettapus coromandelianus</i> | | 6 | S | | | | | | | | | | | | | | | S |
| Pheasants, Grouse, and Allies - Phasianidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| Rufous-throated Partridge - <i>Arborophila rufogularis</i> | | 2 | | | | | | | | | | | S | | | | | S |
| Bar-backed Partridge - <i>Arborophila brunneopectus</i> | | 2 | | | | S | | | | | | | | | | | | S |
| Scaly-breasted Partridge - <i>Arborophila chloropus</i> | | 2 | | | | S | | | | | | | | | | | | S |
| Mountain Bamboo-Partridge - <i>Bambusicola fytchii</i> | | 2 | | | | | | | | | | | | | | | S | S |
| Red Junglefowl - <i>Gallus gallus</i> | | 2 | | | S | S | | | H | | | | | | | | | S |
| Kalij Pheasant - <i>Lophura leucomelanos</i> | | | | | S | S | | | | | | | | | | | | S |
| Siamese Fireback - <i>Lophura diardi</i> | N | 3 | | | | | | | S | | | | | | | | | S |
| Grebes - Podicipedidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| Little Grebe - <i>Tachybaptus ruficollis</i> | | 7 | S | | | | | | | | S | | | | | | | S |
| Storks - Ciconiidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| Asian Openbill - <i>Anastomus oscitans</i> | | 69 | S | S | | | S | | | S | | | | S | | | | S |
| Painted Stork - <i>Mycteria leucocephala</i> | N | 69 | | S | | | | | | | | | | | | | | S |
| Cormorants and Shags - Phalacrocoracidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| Little Cormorant - <i>Phalacrocorax niger</i> | | 64 | S | S | | | | | | | | | | | | | | S |
| Anhingidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| ORIENTAL Darter - <i>Anhinga melanogaster</i> | N | 64 | S | | | | | | | | | | | | | | | S |
| Hérons, Egrets, and Bitterns - Ardeidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| Yellow Bittern - <i>Ixobrychus sinensis</i> | | 67 | | S | | | S | | | | | | | | | | | S |
| Cinnamon Bittern - <i>Ixobrychus cinnamomeus</i> | | 67 | | | | | | | | S | | | | | | | | S |
| Gray Heron - <i>Ardea cinerea</i> | | 66 | S | S | | S | | | | | | | | | | | | S |
| Purple Heron - <i>Ardea purpurea</i> | | 66 | S | S | | | | | | | | | | | | | | S |
| Great Egret - <i>Ardea alba</i> | | 65 | S | S | | S | S | | | | | | | S | | | | S |
| Intermediate Egret - <i>Mesophoyx intermedia</i> | | 65 | S | S | | | S | S | S | S | | | | S | | | | S |
| Little Egret - <i>Egretta garzetta</i> | | 65 | S | S | | S | S | | S | S | S | | | | | | | S |
| Cattle Egret - <i>Bubulcus ibis</i> | | 65 | S | S | | S | S | S | S | S | S | | | S | S | S | | S |
| Chinese Pond-Heron - <i>Ardeola bacchus</i> | | 66 | S | S | S | S | S | S | S | S | S | | S | S | S | | | S |
| Javan Pond-Heron - <i>Ardeola speciosa</i> | | 66 | S | S | | | S | | | | | | | S | | | | S |
| STRIATED (Little) Heron - <i>Butorides striata</i> | | 67 | S | | | | | | | | | | | | | | | S |
| Black-crowned Night-Heron - <i>Nycticorax nycticorax</i> | | 66 | | S | | | | | | | | | | | | | | S |
| Ibises and Spoonbills - Threskiornithidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| Black-headed Ibis - <i>Threskiornis melanocephalus</i> | Ex N | 68 | | | | | | | | S | | | | | | | | S |
| Hawks, Eagles, and Kites - Accipitridae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| Black Baza - <i>Aviceda leuphotes</i> | | 52 | | G | | S | | | S | S | | | | | | | | S |
| Oriental Honey-buzzard - <i>Pernis ptilorhynchus</i> | | 52 | | | S | S | | | | | | | | S | | | | S |
| Black-shouldered Kite - <i>Elanus caeruleus</i> | | 62 | | | | | S | | | | | | | S | | | | S |
| Black Kite - <i>Milvus migrans</i> | | 53 | | | | | | | S | | | | | | | | | S |
| Black-eared Kite - <i>Milvus lineatus lineatus</i> | | | | | | | SS | | | | | | | | | | | SS |
| Brahminy Kite - <i>Haliastur indus</i> | | 53 | S | S | | | S | | | | | | | | | | | S |
| Short-toed(Snake) Eagle - <i>Circaetus gallicus</i> | | 53 | | | | | | | | | | G | | | | | | G |
| Crested Serpent-Eagle - <i>Spilornis cheela</i> | | 60 | | | S | | | | S | | S | | H | | S | | | S |
| Eastern Marsh-Harrier - <i>Circus spilonotus</i> | | 56 | S | | | | | | | | | | | | | | | S |
| Crested Goshawk - <i>Accipiter trivirgatus</i> | | 58 | | | S | | | S | S | | | | | | | | | S |
| Shikra - <i>Accipiter badius</i> | | 57 | | | | | | | S | | | | | | | S | | S |
| Japanese Sparrowhawk - <i>Accipiter gularis</i> | | 57 | | | | | | | | | | | | | | | | S |
| Besra - <i>Accipiter virgatus</i> | | 57 | | | S | | | | | | | | | S | | | | S |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--------|-------|----|----|----|----|----|----|----|----|----|----|---|---|---|---|---|------|
| 418 | Asian Barred Owllet - <i>Glaucidium cuculoides</i> | | 25 | | S | H | | | | | | | | | | H | | | S |
| 437 | Swifts - Apodidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 441 | Brown-backed Noddy - <i>Hirundapus giganteus</i> | | 24 | | | S | | | | S | | | | | | | | | S |
| 443 | Himalayan Swiftlet - <i>Aerodramus brevirostris</i> | | 23 | | | | | | | | | | | | | S | S | | S |
| 447 | Germán's Swiftlet - <i>Aerodramus germani</i> | | 23 | S | | | | S | | | | | | | | | | | S |
| 448 | PACIFIC (Fork-tailed) Swift - <i>Apus pacificus</i> | | 23 | | | S | | | | | | | | | | | S | S | S |
| 451 | House Swift - <i>Apus nipalensis</i> | | 23 | S | S | S | | | S | | | | | | G | S | | | S |
| 452 | Asian Palm-Swift - <i>Cypsiurus balasienis</i> | | 23 | S | S | | S | | | | S | | | | | | | | S |
| 453 | Treeswifts - Hemiprocnidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 454 | Crested Treeswift - <i>Hemiproctne coronata</i> | | 24 | | | | | | | | | | | | | S | | | S |
| 457 | Trogon - Trogonidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 462 | Red-headed Trogon - <i>Harpactes erythrocephalus</i> | | 15 | | | | | | H | | | | | | | | | | H |
| 463 | Orange-breasted Trogon - <i>Harpactes oreskios</i> | | 15 | | | | | | | H | | | | | | | | | H |
| 465 | Kingfishers - Alcedinidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 467 | Common Kingfisher - <i>Alcedo atthis</i> | | 16 | | S | | | S | | | | S | | | | | | | S |
| 476 | White-throated Kingfisher - <i>Halcyon smyrnensis</i> | | 16 | | S | | S | | S | | | | | | | | | | S |
| 477 | Black-capped Kingfisher - <i>Halcyon pileata</i> | | 16 | S | | | | | | | | | | | | | | | S |
| 478 | Collared Kingfisher - <i>Todiramphus chloris</i> | | 16 | S | | | | | | | | | | | | | | | S |
| 482 | Bee-eaters - Meropidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 484 | Blue-bearded Bee-eater - <i>Nyctornis athertoni</i> | | 17 | | | S | | | | | | | | | | | | | S |
| 485 | Green Bee-eater - <i>Merops orientalis</i> | | 17 | | S | | | S | | | | S | | | | | | | S |
| 487 | Blue-tailed Bee-eater - <i>Merops philippinus</i> | | 17 | | S | | | S | | | | | | | | | | | S |
| 488 | Chestnut-headed Bee-eater - <i>Merops leschenaulti</i> | | 17 | | | | | | S | S | | | | | | | | | S |
| 489 | Rollers - Coraciidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 490 | Indian Roller - <i>Coracias benghalensis</i> | | 21 | | S | | S | S | S | S | | | | | | S | | S | S |
| 491 | Dollarbird - <i>Eurystomus orientalis</i> | | 21 | | | S | | | | S | S | | | | | | | | S |
| 494 | Hornbills - Bucerotidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 495 | Oriental Pied-Hornbill - <i>Anthracoceros albirostris</i> | | 13 | | | S | S | | | S | | | | | | | | | S |
| 499 | Great Hornbill - <i>Buceros bicornis</i> | N | 13 | | | S | | | S | S | | | | | | | | | S |
| 502 | TICKELL'S BROWN (Rusty-cheeked) Hornbill - <i>Ano</i> | N | | | | S | | | | | | | | | | | | | S |
| 509 | Asian Barbets - Megalaimidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 512 | Great Barbet - <i>Megalaima virens</i> | | 12 | | | | | | | | | | | | | | | F | F |
| 513 | Lineated Barbet - <i>Megalaima lineata</i> | | 12 | | S | | | | | | S | S | | | | | | | S |
| 514 | Green-eared Barbet - <i>Megalaima faiostricta</i> | | 12 | | | S | | | S | H | | | | | | | | | S |
| 518 | Golden-throated Barbet - <i>Megalaima franklinii</i> | | 12 | | | | | | | | | | S | | | | H | | S |
| 520 | Blue-throated Barbet - <i>Megalaima asiatica</i> | | 12 | | | S | | | | | | S | H | S | | S | | | S |
| 521 | Moustached Barbet - <i>Megalaima incognita</i> | | 12 | | | | | | | S | | | | | | | | | S |
| 523 | Blue-eared Barbet - <i>Megalaima australis</i> | | 12 | | | S | | | | | | | | | | S | | | S |
| 524 | Coppersmith Barbet - <i>Megalaima haemacephala</i> | | 13 | S | S | | | S | | | S | S | | | | | | | S |
| 526 | Woodpeckers - Picidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 531 | Gray-capped PYGMY Woodpecker - <i>Dendrocopos canicapillus</i> | | 8 | | | | | | | | | | | S | | | | | S |
| 533 | Stripe-breasted Woodpecker - <i>Dendrocopos atratus</i> | | 8 | | | | | | | | | | | | | | S | | S |
| 542 | Greater Yellowthroat - <i>Picus flavinucha</i> | | 10 | | | S | | | | | | | | | | | | | S |
| 550 | Common Flameback - <i>Dinopium javanense</i> | | 11 | | | S | | | | | | | | | | | | | S |
| 551 | Greater Flameback - <i>Chrysocolaptes lucidus</i> | | 11 | | | S | | | | | | | | | | | | | S |
| 566 | Asian and Grauer's Broadbills - Eurylaimidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 567 | Black-and-red Broadbill - <i>Cymbirhynchus macrorhynchus</i> | | 73 | | | S | | | | | | | | | | | | | S |
| 569 | Silver-breasted Broadbill - <i>Serilophus lunatus</i> | | 73 | | | | | | | | | | | S | | | | | S |
| 587 | Gerygone - Acanthizidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 588 | Golden-bellied Gerygone - <i>Gerygone sulphurea</i> | | 105 | S | | | | | | | | | | | | | | | S |
| 589 | Woodshrikes - Prionopidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 590 | Large Woodshrike - <i>Tephrodornis gularis</i> | | 83 | | | S | | | | | | | | | | | | | S |
| 595 | Woodswallows - Artamidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 596 | Ashy Woodswallow - <i>Artamus fuscus</i> | | 96 | | | | S | S | S | S | S | | | | S | S | | | S |
| 597 | loras - Aegithinidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 598 | Common lora - <i>Aegithina tiphia</i> | | 82 | S | | | S | S | | | S | | | S | | H | | | S |
| 601 | Cuckooshrikes - Campephagidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 605 | Indochinese Cuckoo-shrike - <i>Coracina polioptera</i> | | 79 | | | | | | | | | | | | S | | | | S |
| 606 | Black-winged Cuckoo-shrike - <i>Coracina melaschistos</i> | | 79 | | | | | | | S | | | | | | | S | | S |
| 614 | Long-tailed Minivet - <i>Pericrocotus ethologus</i> | | 81 | | | | | | | | | | | | | S | | | S |
| 615 | Short-billed Minivet - <i>Pericrocotus brevirostris</i> | | 81 | | | | | | | | | | | S | | S | S | S | S |
| 616 | Scarlet Minivet - <i>Pericrocotus flammeus</i> | | 81 | | | S | | | | | | | | S | S | S | S | S | S |
| 617 | Gray-chinned Minivet - <i>Pericrocotus solaris</i> | | 81 | | | | | | | | | | | S | | | | | S |
| 618 | Bar-winged Flycatcher-shrike - <i>Hemipus picatus</i> | | 81 | | | S | | | S | S | | | | | | | | S | S |
| 622 | Shrikes - Laniidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 624 | Brown Shrike - <i>Lanius cristatus</i> | | 75 | S | | S | | | | S | | S | | | S | S | S | | S |
| 626 | Long-tailed Shrike - <i>Lanius schach</i> | | 75 | | | | | | | | | | | | | S | S | S | S |
| 627 | Gray-backed Shrike - <i>Lanius tephronotus</i> | | 75 | | | | | | | S | | S | | | | S | S | | S |
| 628 | Vireos - Vireonidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 629 | Blyth's Shrike-Babbler - <i>Pteruthius aeralatus</i> | | | | | | | | | | | | | | | S | | | S |
| 633 | White-bellied Erponis (aka Yuhina) - <i>Erponis zantholeuca</i> | | | | | | | | | | | | | S | | | | | S |
| 634 | Old World Orioles - Oriolidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 636 | Black-naped Oriole - <i>Oriolus chinensis</i> | | 78 | G | | S | | | S | | S | | | | S | | | | S |
| 638 | Black-hooded Oriole - <i>Oriolus xanthonus</i> | | 78 | | | | | | | | | | | | | S | | | S |
| 639 | Maroon Oriole - <i>Oriolus traillii</i> | | 79 | | | | | | | | | | | | | | | S | S |
| 641 | Drongos - Dicruridae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--------|-------|----|----|----|----|----|----|----|----|----|----|---|---|---|---|---|------|
| 642 | Black Drongo - Dicrurus macrocercus | | 76 | S | S | | S | S | S | | S | | S | S | | | S | | |
| 643 | Ashy Drongo - Dicrurus leucophaeus | | 76 | | | S | | S | S | S | | G | S | S | | | S | | |
| 645 | Bronzed Drongo - Dicrurus aeneus | | 76 | | | S | | | | | | | S | | | | S | | |
| 646 | Lesser Racket-tailed Drongo - Dicrurus remifer | | 76 | | | | | | | | | S | | | | S | S | | |
| 647 | HAIR-CRESTED (Spangled) Drongo - Dicrurus hottentottus | | 76 | | | S | S | | | G | | | S | S | | S | S | | |
| 648 | Greater Racket-tailed Drongo - Dicrurus paradiseus | | 76 | | | S | S | S | | S | | | | | S | | S | | |
| 649 | Fantails - Rhipiduridae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 652 | Pied Fantail - Rhipidura javanica | | 82 | S | S | | S | S | | | S | | | | | | | S | |
| 654 | Monarch Flycatchers - Monarchidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 655 | Black-naped Monarch - Hypothymis azurea | | 83 | | | | S | | S | | | | | | | S | | S | |
| 657 | Asian Paradise-Flycatcher - Terpsiphone paradisi | | 83 | | | | | | | | | | | S | | | | S | |
| 658 | Crows, Jays, and Magpies - Corvidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 661 | Eurasian Jay - Garrulus glandarius | | 77 | | | | | | | | | S | | | | | | S | |
| 662 | (Red-billed) Blue Magpie - Urocissa erythrorhyncha | | 77 | | | | | | | | | S | | | | | | S | |
| 663 | (Common) Green Magpie - Cissa chinensis | | 77 | | | | | | | H | | | | | | | | H | |
| 666 | Gray Treepie - Dendrocitta formosae | | 77 | | | | | | | | | | | | | | F | F | |
| 667 | Racket-tailed Treepie - Cypselurus temia | | 78 | | | S | S | | | | | S | | | | | | S | |
| 671 | Large-billed Crow - Corvus macrorhynchos | | 76 | S | | | | S | S | S | S | | S | S | | S | | S | |
| 678 | Swallows - Hirundinidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 682 | BANK SWALLOW (Sand Martin) - Riparia riparia | | 101 | | | | | | S | | | | | | | | | S | |
| 684 | Barn Swallow - Hirundo rustica | | 101 | S | S | S | S | S | S | | | S | S | S | S | S | S | S | |
| 686 | Wire-tailed Swallow - Hirundo smithii | | 101 | | | | | | | | | | | | S | | | S | |
| 689 | Striated Swallow - Cecropis striolata | | 101 | | | | S | S | S | S | | | | | S | S | S | S | |
| 692 | Asian House-Martin - Delichon dasypus | | 100 | | | | | | S | | | | | | | | | S | |
| 694 | Fairy Flycatchers - Stenostiridae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 695 | Yellow-bellied FAIRY-Fantail - Chelidorhynch hypoxantha | | 82 | | | | | | | | | | S | S | | | | S | |
| 696 | Gray-headed Canary-Flycatcher - Culicicapa ceylonensis | | 91 | | | | | | | | | | S | S | | | | S | |
| 697 | Chickadees and Tits - Paridae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 698 | Great Tit - Parus major | | 100 | | | | | | | | | | S | | | | S | S | |
| 699 | Yellow-cheeked Tit - Parus sibilans | | 100 | | | | | | | | | | S | S | | | | S | |
| 706 | Nuthatches - Sittidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 708 | Chestnut-vented Nuthatch - Sitta nagaensis | | 99 | | | | | | | | | | S | | | | S | S | |
| 709 | Velvet-fronted Nuthatch - Sitta frontalis | | 99 | | | | | | | | | | | S | | | | S | |
| 717 | Bulbuls - Pycnonotidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 718 | Crested Finchbill - Spizixos canifrons | | 102 | | | | | | | | | | | | | S | S | S | |
| 721 | Black-headed Bulbul - Pycnonotus atriceps | | 102 | | | | | | S | S | S | | | | S | | | S | |
| 723 | Striated Bulbul - Pycnonotus striatus | | 102 | | | | | | | | | | S | | | | | S | |
| 724 | Black-crested Bulbul - Pycnonotus flaviventris | | 102 | | | S | | | S | S | S | S | S | S | S | S | S | S | |
| 727 | Red-whiskered Bulbul - Pycnonotus jocosus | | 102 | | | | | | S | | S | | | | S | S | S | S | |
| 728 | Brown-breasted Bulbul - Pycnonotus xanthorrhous | | 102 | | | | | | | | | | | | S | S | S | S | |
| 730 | Sooty-headed Bulbul - Pycnonotus aurigaster | | 102 | | | S | S | | | S | S | | | S | S | S | S | S | |
| 731 | Stripe-throated Bulbul - Pycnonotus finlaysoni | | 103 | | | S | S | | | | | | | | S | | | S | |
| 732 | Flavescent Bulbul - Pycnonotus flavescens | | 103 | | | S | | | | | | | S | S | S | S | S | S | |
| 733 | Yellow-vented Bulbul - Pycnonotus goiavier | | 103 | S | | | G | | | | | | | | | | | S | |
| 735 | Streak-eared Bulbul - Pycnonotus blanfordi | | 103 | S | S | | S | S | | | S | S | | | | S | | S | |
| 742 | Puff-throated Bulbul - Alophoixus pallidus | | 104 | | | S | | S | S | | | | | | | | | S | |
| 743 | Ochraceous Bulbul - Alophoixus ochraceus | | 104 | | | S | | | | | | | | | | | | S | |
| 747 | Gray-eyed Bulbul - Iole propinqua | | 103 | | | | | | S | S | | | | S | | S | | S | |
| 750 | Black Bulbul - Hypsipetes leucocephalus | | 104 | | | | | | | | | | | S | | S | | S | |
| 751 | White-headed Bulbul - Hypsipetes thompsoni | | 104 | | | | | | | | | | S | | | | | S | |
| 752 | Ashy Bulbul - Hemixos flava | | 104 | | | | | S | | | | | | | | | | S | |
| 753 | Mountain Bulbul - Ixos mccllellandii | | 104 | | | G | | | | | | | | S | | | S | S | |
| 757 | Bush-Warblers and Allies - Cettiidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 764 | Mountain Tailorbird - Phyllergates cucullatus | | | | | | | | | | | | H | | | | | H | |
| 770 | Leaf-Warblers - Phylloscopidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 772 | Dusky Warbler - Phylloscopus fuscatus | | 109 | | | S | | | | | | | | | S | | | S | |
| 774 | Yellow-streaked Warbler - Phylloscopus armandii | | 109 | | | | | | | | | | | | S | | | S | |
| 775 | Radde's Warbler - Phylloscopus schwarzi | | 109 | | | | | | | | | | | | S | | | S | |
| 776 | Buff-barred Warbler - Phylloscopus pulcher | | 110 | | | | | | | | | | | S | | | S | S | |
| 777 | Ashy-throated Warbler - Phylloscopus maculipennis | | 110 | | | | | | | | | | | S | | | | S | |
| 784 | Arctic Warbler - Phylloscopus borealis | | 109 | | | S | | | S | | | | S | | | | | S | |
| 785 | Greenish Warbler - Phylloscopus trochiloides | | 109 | | | | | | | | | | | | | S | S | S | |
| 786 | Two-barred Warbler - Phylloscopus plumbeitarsus | | 109 | | | | | | S | | | | | | S | | | S | |
| 792 | Blyth's Leaf-Warbler - Phylloscopus reguloides | | 110 | | | | | | | | S | | | S | | | | S | |
| 793 | DAVISON'S (White-tailed) Leaf-Warbler - Phylloscopus davisoni | | 110 | | | | | | | | | | S | S | | | | S | |
| 796 | Sulphur-breasted Warbler - Phylloscopus ricketti | | 110 | | | | | | | | | | | | | | S | S | |
| 805 | Reed-Warblers and Allies - Acrocephalidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 806 | Black-browed Reed-Warbler - Acrocephalus bistrigiceps | | 107 | | | | | S | | | | | | | | | | S | |
| 824 | Cisticolas and Allies - Cisticolidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 825 | Zitting Cisticola - Cisticola juncidis | | 105 | | | | | | | | | | | | S | | | S | |
| 826 | GOLDEN (Bright)-headed Cisticola - Cisticola exilis | | 105 | | | | | S | | | | | | | S | | | S | |
| 827 | Common Tailorbird - Orthotomus sutorius | | 106 | S | S | | S | | | S | | | | | | S | S | S | |
| 828 | Dark-necked Tailorbird - Orthotomus atrogularis | | 106 | | | S | | | | | | | | | | | | S | |
| 832 | Hill Prinia - Prinia supercilialis | | 105 | | | | | | | | | | S | G | S | | S | S | |
| 833 | Rufescent Prinia - Prinia rufescens | | 106 | | S | | | | | | | | | | | | | S | |
| 834 | Gray-breasted Prinia - Prinia hodgsonii | | 106 | | | | | S | | | | S | | | | | | S | |

| | | | | | | | | | | | | | | | | | | | |
|-------|--|--------|-------|----|----|----|----|----|----|----|----|----|----|---|---|---|---|---|------|
| 1058 | Leafbirds - Chloropseidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1061 | Blue-winged Leafbird - <i>Chloropsis cochinchinensis</i> | | 74 | | | S | | | | S | | | | | | S | | | S |
| 1062 | Golden-fronted Leafbird - <i>Chloropsis aurifrons</i> | | 74 | | | | | | | | G | | | | | S | | | S |
| 1063 | Orange-bellied Leafbird - <i>Chloropsis hardwickii</i> | | 74 | | | | | | | | | | | S | S | | | | S |
| 1064 | Flowerpeckers - Dicaeidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1068 | Thick-billed Flowerpecker - <i>Dicaeum agile</i> | | 120 | | | | | | | | | S | | | | | | | S |
| 1069 | Yellow-vented Flowerpecker - <i>Dicaeum chrysorrheum</i> | | 120 | | | | | | | S | | | | | | | | | S |
| 1070 | Yellow-bellied Flowerpecker - <i>Dicaeum melanoxanthum</i> | | 120 | | | | | | | | | | S | | | | | S | S |
| 1073 | Fire-breasted (aka Buff-bellied) Flowerpecker - <i>Dicaeum ignipes</i> | | 120 | | | S | | | S | S | | S | | S | | | | | S |
| 1074 | Scarlet-backed Flowerpecker - <i>Dicaeum cruentatum</i> | | | S | S | | | | S | | | S | | | | S | S | S | S |
| 1075 | Sunbirds and Spiderhunters - Nectariniidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1076 | Ruby-cheeked Sunbird - <i>Chalcoparia singalensis</i> | | 121 | | | S | | | | | | | | | | | | | S |
| 1078 | Plain (Brown)-throated Sunbird - <i>Anthreptes malacensis</i> | | 121 | S | | | | S | | S | | | | | | | | | S |
| 1083 | Purple Sunbird - <i>Cinnyris asiaticus</i> | | 121 | | | | | | | | | S | | | | | | | S |
| 1084 | Olive-backed Sunbird - <i>Cinnyris jugularis</i> | | 121 | S | S | | S | | S | S | S | | | | | | | | S |
| 1085 | (Mrs) Gould's Sunbird - <i>Aethopyga gouldiae</i> | | 122 | | | | | | | | | | | H | | | | | H |
| 1086 | Green-tailed Sunbird - <i>Aethopyga nipalensis</i> | | 122 | | | | | | | | | | S | S | | | | | S |
| 1087 | Black-throated Sunbird - <i>Aethopyga saturata</i> | | 122 | | | | | | | S | | | S | | | | | S | S |
| 1088 | EASTERN Crimson Sunbird - <i>Aethopyga siparaja</i> | | 121 | | | | | | | | | | | | | S | | | S |
| 1092 | Little Spiderhunter - <i>Arachnothera longirostra</i> | | 122 | | | | | | | | | | | | | | | | S |
| 1098 | Streaked Spiderhunter - <i>Arachnothera magna</i> | | 122 | | | S | | | | | | | S | S | S | S | S | S | S |
| 1099 | Wagtails and Pipits - Motacillidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1100 | WESTERN Yellow Wagtail - <i>Motacilla flava</i> | | 124 | | | | | S | | | | | | | | | | | S |
| 1102 | Gray Wagtail - <i>Motacilla cinerea</i> | | 124 | | | S | | | | | | | S | | | | | S | S |
| 1105 | Oriental (aka Paddyfield) Pipit - <i>Anthus rufulus</i> | | | | | | | | | | | | S | | | | | | S |
| 1108 | Olive-backed Pipit - <i>Anthus hodgsoni</i> | | 123 | | | | | | | | | | S | | S | S | S | S | S |
| 1108a | Richard's Pipit - <i>Anthus richardi</i> | | | | S | | | | S | S | | | | | | | | | S |
| 1112 | Buntings and New World Sparrows - Emberizida | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1116 | Little Bunting - <i>Emberiza pusilla</i> | | 128 | | | | | | | | | | | | | | | | S |
| 1121 | Siskins, Crossbills, and Allies - Fringillidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1125 | Common Rosefinch - <i>Carpodacus erythrinus</i> | | 127 | | | | | | | | | | | | S | | | S | S |
| 1131 | Spot-winged Grosbeak - <i>Mycerobas melanozanthos</i> | | 127 | | | | | | | | | | | | | | | | S |
| 1132 | Old World Sparrows - Passeridae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1133 | House Sparrow - <i>Passer domesticus</i> | | 125 | S | S | | S | S | | | S | S | S | S | | | S | S | S |
| 1135 | Plain-backed Sparrow - <i>Passer flaveolus</i> | | 125 | S | S | | S | S | | S | S | | | | | | | | S |
| 1136 | Eurasian Tree Sparrow - <i>Passer montanus</i> | | 125 | S | S | | | S | | | S | S | S | S | S | S | S | S | S |
| 1137 | Weavers and Allies - Ploceidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1138 | Streaked Weaver - <i>Ploceus manyar</i> | | 125 | | | | | S | | | | | | | | | | | S |
| 1139 | Baya Weaver - <i>Ploceus philippinus</i> | | 125 | | | | | S | | | | | | | | | | | S |
| 1140 | Asian Golden Weaver - <i>Ploceus hypoxanthus</i> | N | 125 | | | | | S | | | | | | | | | | | S |
| 1141 | Waxbills and Allies - Estrilidae | Status | Plate | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 1 | 2 | 3 | 4 | 5 | Trip |
| 1143 | Pin-tailed Parrotfinch - <i>Erythrura prasina</i> | | 125 | | | | | | | | | | | | | | | | S |
| 1144 | White-rumped Munia - <i>Lonchura striata</i> | | 126 | | | | | | | | | | | | | | | | S |
| 1145 | NUTMEG MANAKIN (Scaly-breasted Munia) - <i>Lonchura punct</i> | | 126 | S | S | | S | S | | | S | S | | S | S | | | | S |

TOTALS BY DAY

| | | | | | | | | | | | | | | | | |
|--------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| Seen | 62 | 72 | 61 | 52 | 56 | 47 | 60 | 37 | 54 | 48 | 48 | 55 | 76 | 59 | 30 | 308 |
| Sub-sp | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Heard | 0 | 1 | 4 | 2 | 1 | 4 | 3 | 0 | 1 | 5 | 2 | 0 | 2 | 2 | 0 | 12 |
| Guide | 2 | 2 | 1 | 1 | 0 | 1 | 1 | 0 | 2 | 3 | 1 | 0 | 2 | 0 | 4 | |
| Fly-by | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | |
| Total | 64 | 75 | 66 | 55 | 59 | 51 | 64 | 38 | 55 | 55 | 53 | 56 | 78 | 64 | 31 | 327 |

ACCUMULATED TOTALS BY DAY

| | | | | | | | | | | | | | | | |
|--------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Seen | 63 | 96 | 148 | 163 | 175 | 191 | 207 | 209 | 217 | 249 | 261 | 268 | 291 | 306 | 308 |
| Sub-sp | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Heard | 0 | 1 | 3 | 5 | 5 | 6 | 7 | 7 | 7 | 11 | 11 | 11 | 11 | 12 | 12 |
| Guide | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 5 | 5 | 4 | 5 | 4 |
| Fly-by | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| Total | 65 | 100 | 154 | 170 | 183 | 200 | 218 | 221 | 229 | 266 | 277 | 284 | 307 | 324 | 327 |
| Lifers | 20 | 33 | 67 | 81 | 92 | 100 | 105 | 105 | 107 | 122 | 127 | 131 | 145 | 149 | 152 |

N
O
T
E
S

Line 136: The Asian form of Black Kite is often regarded as a different species, Black-eared Kite *Milvus lineatus lineatus*, although many authorities still treat it as a race of Black Kite *Milvus migrans*. Cornell / Clements 6.7 continue to show the Black-eared as a sub-species.
 Line 136a: ADDED Black-eared Kite *Milvus lineatus lineatus* as a sub-species with a trip designation of SS.
 Line 163a: ADDED Steppe Buzzard (inadvertantly omitted from original checklist)
 Line 295: DELETED Brown-headed Gull (duplicate entry - we used Line 298 to record sighting of this species).
 Line 447: CHANGED to read Germain's Swiftlet
 Line 502: CHANGED to read TICKELL'S BROWN (Rusty-cheeked) Hornbill
 Line 531: CHANGED to read Gray-capped PYGMY Woodpecker
 Line 629: Blyth's Shrike-Babbler is correctly identified and is a recent split from White-browed Babbler
 Line 633: CHANGED to read White-bellied Erponis (aka Yuhina)
 Line 898: Silver-eared Laughingthrush: Guides suggested scientific name was *Trochlopteron*, not *Garrulax*. We found nothing in Cornell / Clements 6.7 to support their claim.
 Line 928: ADDED Rusty-cheeked Scimitar-Babbler as seen. Andre has an April 5 photo but species was not identified in daily sightings.
 Line 952a: ADDED Chinese Blue-Flycatcher (split from Hill Blue-Flycatcher)
 Line 1010: Blue Rock-Thrush remains one entry. Guides reported we saw two sub-species but we did not determine which sub-species.
 Line 1073: CHANGED to read Fire-breasted (aka Buff-bellied) Flowerpecker. Guides indicated Fire-breasted and Buff-bellied were split but we found nothing in Cornell / Clements 6.7 to support their claim.
 Line 1105: CHANGED to read Oriental (aka Paddyfield) Pipit
 Line 1108a: ADDED Richard's Pipit (inadvertantly omitted from original checklist)